5. REFERENCES

- A. Amjad, A. Staffan, VP. Sitaram (2009), Preparation of zolmitriptan–chitosan microparticles by spray drying for nasal delivery. European Journal of Pharmaceutical Sciences. 38, 206–214.
- Amith Kumar Nayak, Ramu Maji and Biswarup Das (2010), Gastroretentive drug delivery systems: a review. Asia Jour Pharm Clin Res. 3(1), 2-10.
- Beatrice Albertini, Nadia Passerini, Marcello Di Sabatino, Beatrice Vitalib, Patrizia Brigidib, Lorenzo Rodriguez (2009), Polymer–lipid based mucoadhesive microspheres prepared by spray-congealing for the vaginal delivery of econazole nitrateeuropean. Journal of pharmaceutical sciences 3 6, 591–601.
- D. Couckea, E. Pringels, P. Foreman, P. Adriaensens, R. Carleer, J.P. Remona, C. Vervaet (2009), Influence of heat treatment on spray-dried mixtures of Amioca starch and Carbopol 974P used as carriers for nasal drug delivery. International Journal of Pharmaceutics 378, 45–50.
- David S. Jones, Marcos Luciano Bruschi, Osvaldo de Freitas , Maria Palmira Daflon Gremiao, Elza Helena Guimaraes Lara, Gavin P. Andrews (2009), Rheological, mechanical and mucoadhesive properties of thermoresponsive, bioadhesive binary mixtures composed of poloxamer 407 and carbopol 974P designed as platforms for implantable drug delivery systems for use in the oral cavity. International Journal of Pharmaceutics 372, 49–58.
- Deelipderle, Omkarjoshi, Ashishpawar, Jatinpatel, Vishalperdeshi (2009), Effect of Tablet Excipients on Mucoadhesive Properties of Polyoxyethylene and Carbopol 971P. International Journal of Pharmacy and Pharmaceutical Sciences 1(1), July-Sep-2009.
- Di Colo G, Burgalassi S, Chetoni P, Fiaschi MP, Zambito Y, Saettone MF. (2001). Gel-forming erodible inserts for ocular controlled delivery of ofloxacin. Int J Pharm. Mar 14; 215(1-2):101-11.
- Ehab R. Bendas, James W. Ayres (2008), Leaky enteric coating on ranitidine hydrochloride beads: Dissolution and prediction of plasma data. European Journal of Pharmaceutics and Biopharmaceutics 69, 977–985.

- Evangelos Karavas, Emmanouel Georgarakis, Dimitrios Bikiaris (2006), Application of PVP/HPMC miscible blends with enhanced mucoadhesive properties for adjusting drug release in predictable pulsatile chronotherapeutics. European Journal of Pharmaceutics and Biopharmaceutics. 64, 115–126.
- FG. Florian, S. Thierry, BS.Andreas (2006), In-vivo evaluation of an oral delivery system for P-gp substrates based on thiolated chitosan. Biomaterials. 27, 4250–4255.
- FP. Thomas, H.Juliane, BS. Andreas (2008), Thiolated chitosan: Development and in vitro evaluation of an oral delivery system for acyclovir. International Journal of Pharmaceutics. 348, 54–60.
- Ghelardi E, Tavanti A, Celandroni F, Lupetti A, Blandizzi C, Boldrini E, Campa M, Senesi S. (2000), Effect of a novel mucoadhesive polysaccharide obtained from tamarind seeds on the intraocular penetration of gentamicin and ofloxacin in rabbits. J Antimicrob Chemother. Nov; 46(5), 831-4.
- Giulia Bonacucina, Sante Martelli, Giovanni F. Palmieri (2004), Rheological, mucoadhesive and release properties of Carbopol gels in hydrophilic cosolvents. International Journal of Pharmaceutics 282, 115–130.
- J. Dhananjay Jere, J. Hu-Lin, K.You-Kyoung, A. Rohidas (2009), Chitosan-graft-polyethylenimine for Akt1 siRNA delivery to lung cancer cells. International Journal of Pharmaceutics. 378, 194–200.
- Ji-Shan Quana, Hu-Lin Jianga, Eun-Mi Kimb, Hwan-Jeong Jeongb, Yoon-Jaie Choia, Ding-Ding Guoa, Mi-Kyong Yooa, Hong-Gu Leec, Chong-Su Cho. (2008), pH-sensitive and mucoadhesive thiolated Eudragit-coated chitosan microspheres. International Journal of Pharmaceutics 359, 205–210.
- Joao F. Pinto (2010), Site-specific drug delivery systems within the gastro-intestinal tract: From the mouth to the colon. International Journal of Pharmaceutics 395, 44–52.
- K.S Kushwaha, K. Rai Awani, S. Singh (2010), Chitosan: A Platform for Targeted Drug Delivery. International Journal of Pharm Tech 2(4), 2271-2282.
- Kavitha K, Sudhir K Yadav and Tamizh Mani T (2010), The need of floating drug delivery system: a review. Res Jour Pharm Bio Cli Sce. 1(2). 396-405.

- KE. Constantia, BS. Andreas (2001), Thiolated polymers-thiomers: development and *In-vitro* evaluation of chitosan-thioglycolic acid conjugates. Biomaterials. 22, 2345-2352.
- LK. Mi, SC. Chong, YS. Han Sang (2009), Application of chitosan microspheres for nasal delivery of vaccines. Biotechnology Advances. 27, 857–865.
- M. Gomez-Burgaz, B. Garcıa-Ochoa, S. Torrado-Santiago (2008), Chitosan–carboxymethylcellulose interpolymer complexes for gastric-specific delivery of clarithromycin. International Journal of Pharmaceutics 359,135–143.
- MD Abd El-Hameed, IW Kellaway (1997), Preparation and In-vitro characterisation of mucoadhesive polymeric microspheres as intra-nasal delivery systems. European Journal of Pharmaceutics and Biopharmaceutics. 44, 53-60.
- Mi Lan Kang, Chong Su Chob, Han Sang Yoo (2009), Application of chitosan microspheres for nasal delivery of vaccines. Biotechnology Advances 27, 857–865.
- Mona Semalty, Ajay Semalty, Ganesh Kumar, Vijay Juyal. (2008), Development of mucoadhesive buccal films of glipizide. Inter jour pharm sci nano. 1(2), 184-190.
- N. Venkatesan , J. Yoshimitsu, Y. Ohashi, Y. Ito, N. Sugioka, N. Shibata, K. Takada (2006), Pharmacokinetic and pharmacodynamic studies following oral administration of erythropoietin mucoadhesive tablets to beagle dogs. International Journal of Pharmaceutics 310, 46–52.
- Nalini M. Anande, Sunil K. Jain, Narendra K. Jain (2008), Con-A conjugated mucoadhesive microspheres for the colonic delivery of diloxanide furoate. International Journal of Pharmaceutics. 359, 182–189.
- P. Mani, G. Shaoqin (2008), Novel thiolated carboxymethyl chitosan-g-b-cyclodextrin as mucoadhesive hydrophobic drug delivery carriers. Carbohydrate Polymers.73, 117–125.
- Pallab Roy, Aliasgar Shahiwala (2009), Statistical optimization of ranitidine HCl floating pulsatile delivery system for chronotherapy of nocturnal acid breakthrough. European Journal of Pharmaceutical Sciences 37, 363–369.
- Rahamatullah Shaikh, Thakur Raghu Raj Sing, Martin James Garlan and et al (2011), Mucoadhesive drug delivery systems. J Pharm Bioallied Sce. 3(1), 89-100.

- Ray-Neng Chena, Hsiu-O Hob, Chiao-Ya Yu, Ming-Thau Sheu (2010), Development of swelling/floating gastroretentive drug delivery system based on a combination of hydroxyethyl cellulose and sodium carboxymethyl cellulose for Losartan and its clinical relevance in healthy volunteers with CYP2C9 Polymorphism. European Journal of Pharmaceutical Sciences 39, 82–89.
- S. Roy, K. Pal, A. Anis, K. Pramanik and B. Prabhakar (2009), Polymers in mucoadhesive drug delivery system: A Brief Note. Designed Monomers and polymers. 12, 483-495.
- Sandra Strubing, Tamara Abboud, Renata Vidor Contri, Hendrik Metz, Karsten Mader (2008), New insights on poly(vinyl acetate)-based coated floating tablets: Characterisation of hydration and CO2 generation by benchtop MRI and its relation to drug release and floating strength European Journal of Pharmaceutics and Biopharmaceutics 69 708–717.
- Sasa Baumgartner, Matej Pavli, Julijana Kristl (2008), Effect of calcium ions on the gelling and drug release characteristics of xanthan matrix tablets. European Journal of Pharmaceutics and Biopharmaceutics 69, 698–707.
- SB. Andreas, H. Margit, Z. Theresa (2003), Thiolated polymers—thiomers: synthesis and *In-vitro* evaluation of chitosan–2-iminothiolane conjugates. International Journal of Pharmaceutics. 260, 229–237.
- Shoufeng Li, Senshang Lin, Bruce P. Daggy, Haresh L. Mirchandani, Yie W. Chien (2003), Effect of HPMC and Carbopol on the release and floating properties of Gastric Floating Drug Delivery System using factorial design. International Journal of Pharmaceutics 253, 13–22.
- Sree Harsha, Chandramouli R, Shobha Rani (2009), Ofloxacin targeting to lungs by way of microspheres. International Journal of Pharmaceutics 380, 127–132.
- Sung-Hyun Park, Myung-Kwan Chun, Hoo-Kyu Choi (2008), Preparation of an extended-release matrix tablet using chitosan/Carbopol interpolymer complex. International Journal of Pharmaceutics 347, 39–44.
- T. Selcan, O. Erten and O. Yekta (2004), Nasal route and drug delivery systems. Pharm World Sci. 26,137–142.

- Tristan P. Learoyd, Jane L. Burrows, Eddie French, Peter C. Seville. (2008), Chitosan-based spray-dried respirable powders for sustained delivery of terbutaline sulfate. European Journal of Pharmaceutics and Biopharmaceutics 68, 224–234.
- W. Weyenberg, S. Bozdag, P. Foreman, J.P. Remon, A. Ludwig (2006), Characterization and in vivo evaluation of ocular minitablets prepared with different bioadhesive Carbopol–starch components. European Journal of Pharmaceutics and Biopharmaceutics. 62. 202–209.
- Y. Murata, N. Sasaki, E. Miyamoto, S. Kawashima (2000). Use of fioating alginate gel beads for stomach-specifc drug delivery. European Journal of Pharmaceutics and Biopharmaceutics 50, 221-226.
- Yunying Tao, Yifan Lu, Yinjing Sun, Bing Gu, Weiyue Lu, Jun Pan (2009), Development of mucoadhesive microspheres of acyclovir with enhanced bioavailability. International Journal of Pharmaceutics 378, 30–36.
- Zulkar N. K. Mohammed, Ravinder A. Nath, and David Banji (2010), Mucoadhesive drug delivery system: An overview. J Adv Pharm Techno Res. 2010 Oct-Dec; 1(4): 381–387.